#### SEQUENCE LISTING

	5	(1) GENERAL INFORMATION:
		(i) APPLICANTS: Morrow, Casey D. and Porter, Donna, C.
	10	(ii) TITLE OF INVENTION: ENCAPSIDATED RECOMBINANT POLIOVIRUS NUCLEIC ACID AND METHODS OF MAKING AND USING SAME
		(iii) NUMBER OF SEQUENCES: 23
	15	(iv) CORRESPONDENCE ADDRESS:  (A) ADDRESSEE: LAHIVE & COCKFIELD  (B) STREET: 60 STATE STREET, SUITE 510
	20	(C) CITY: BOSTON (D) STATE: MASSACHUSETTS (E) COUNTRY: USA (F) ZIP: 02109
The first man from the from the first test to the first test to the first test test test test test test test t	25	<ul> <li>(v) COMPUTER READABLE FORM:</li> <li>(A) MEDIUM TYPE: Floppy disk</li> <li>(B) COMPUTER: IBM PC compatible</li> <li>(C) OPERATING SYSTEM: PC-DOS/MS-DOS</li> <li>(D) SOFTWARE: ASCII</li> </ul>
Les House of the second	30	<ul><li>(vi) CURRENT APPLICATION DATA:</li><li>(A) APPLICATION NUMBER: US 000000</li><li>(B) FILING DATE: 15-FEB-1995</li><li>(C) CLASSIFICATION:</li></ul>
	35	<ul><li>(vii) PRIOR APPLICATION DATA:</li><li>(A) APPLICATION NUMBER: US 08/087,009</li><li>(B) FILING DATE: 01-JUL-1993</li><li>(C) CLASSIFICATION:</li></ul>
,4	40	<pre>(viii) ATTORNEY/AGENT INFORMATION:    (A) NAME: Silveri, Jean M.    (B) REGISTRATION NUMBER: P-39,030    (C) REFERENCE/DOCKET NUMBER: UAG-004CP</pre>
	45	(ix) TELECOMMUNICATION INFORMATION:  (A) TELEPHONE: (617) 227-7400  (B) TELEFAX: (617) 227-5941
	50	(2) INFORMATION FOR SEQ ID NO:1:
	~ ~	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 14 base pairs  (B) TYPE: nucleic acid
	55	<pre>(C) STRANDEDNESS: single (D) TOPOLOGY: linear</pre>
		(ii) MOLECULE TYPE: cDNA

- 54 -

	5	TATTAGTAGA TCTG 14
		(2) INFORMATION FOR SEQ ID NO:2:
	10	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 14 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear
	15	(ii) MOLECULE TYPE: cDNA
	20	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:
		TACAGATGTA CTAA 14
		(2) INFORMATION FOR SEQ ID NO:3:
Hart and the first that the first	25	<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 846 base pairs</li><li>(B) TYPE: nucleic acid</li></ul>
		(C) STRANDEDNESS: single (D) TOPOLOGY: linear
in i	30	(ii) MOLECULE TYPE: cDNA
.4 .3 .3	35	(ix) FEATURE: (A) NAME/KEY: CDS (B) LOCATION: 20845
ra <b>ā</b> t		(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:
	40	ACACAGCAAT CAGGTCAGC CAA AAT TAC CCT ATA GTG CAG AAC ATC CAG GGG 52 Gln Asn Tyr Pro Ile Val Gln Asn Ile Gln Gly 1 5 10
	45	CAA ATG GTA CAT CAG GCC ATA TCA CCT AGA ACT TTA AAT GCA TGG GTA Gln Met Val His Gln Ala Ile Ser Pro Arg Thr Leu Asn Ala Trp Val 15 20 25
	50	AAA GTA GTA GAA GAG AAG GCT TTC AGC CCA GAA GTG ATA CCC ATG TTT Lys Val Val Glu Glu Lys Ala Phe Ser Pro Glu Val Ile Pro Met Phe 30 35 40
	55	TCA GCA TTA TCA GAA GGA GCC ACC CCA CAA GAT TTA AAC ACC ATG CTA  Ser Ala Leu Ser Glu Gly Ala Thr Pro Gln Asp Leu Asn Thr Met Leu  45 50 55

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

						CAT His 65								244
	5		_	_	_	GCA Ala	_		_	_				292
	10					GGC Gly								340
	15					ACC Thr								388
	20					GTA Val								436
2 3500 2 4500 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	20					GTA Val 145								484
Arrest Virginia (Marie	25	_	_	_		AAG Lys								532
	30					GCC Ala							-	580
	35					TTG Leu								628
	40					GGA Gly								676
	40				Val	GGA Gly 225	Gly					-		724
	45					GTA Val								772
	50					CAA Gln								820
	55					GCC Ala		т						846

## (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 275 amino acids 5 (B) TYPE: amino acid (D) TOPOLOGY: linear (ii) MOLECULE TYPE: protein 10 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:4: Gln Asn Tyr Pro Ile Val Gln Asn Ile Gln Gly Gln Met Val His Gln 15 Ala Ile Ser Pro Arg Thr Leu Asn Ala Trp Val Lys Val Val Glu Glu Lys Ala Phe Ser Pro Glu Val Ile Pro Met Phe Ser Ala Leu Ser Glu 40 20 Gly Ala Thr Pro Gln Asp Leu Asn Thr Met Leu Asn Thr Val Gly Gly 55 His Gln Ala Ala Met Gln Met Leu Lys Glu Thr Ile Asn Glu Glu Ala **1** 25 San San Ala Glu Trp Asp Arg Val His Pro Val His Ala Gly Pro Ile Ala Pro F 30 Gly Gln Met Arg Glu Pro Arg Gly Ser Asp Ile Ala Gly Thr Thr Ser 105 1.5 1 1227 Thr Leu Gln Glu Gln Ile Gly Trp Met Thr Asn Asn Pro Pro Ile Pro e sh 35 5 Val Gly Glu Ile Tyr Lys Arg Trp Ile Ile Leu Gly Leu Asn Lys Ile 130 135 Val Arg Met Tyr Ser Pro Thr Ser Ile Leu Asp Ile Arg Gln Gly Pro 40 150 Lys Glu Pro Phe Arg Asp Tyr Val Asp Arg Phe Tyr Lys Thr Leu Arg 45 Ala Glu Gln Ala Ser Gln Glu Val Lys Asn Trp Met Thr Glu Thr Leu 185 Leu Val Gln Asn Ala Asn Pro Asp Cys Lys Thr Ile Leu Lys Ala Leu 200 50 Gly Pro Ala Ala Thr Leu Glu Glu Met Met Thr Ala Cys Gln Gly Val 215 Gly Gly Pro Gly His Lys Ala Arg Val Leu Ala Glu Ala Met Ser Gln

(2) INFORMATION FOR SEQ ID NO:4:

55

250

Val Thr Asn Ser Ala Thr Ile Met Met Gln Arg Gly Asn Phe Arg Asn

	Gln	Arg	Lys	Ile 260	Val	Lys	Cys	Phe	Asn 265	Cys	Gly	Lys	Glu	Gly 270	His	Thr	
5	Ala	Arg	Lys 275														
	(2)	INF	ORMA'	TION	FOR	SEQ	ID I	NO:5	:								
10		(i)	(, () ()	QUEN A) L: B) T C) S	ENGT: YPE : TRAN	H: 9 nuc DEDN	48 ba leic ESS:	ase p acio sing	pair. d	s							
15			()	D) T	)FOT	JGY:	TIR	ear									
		(ii)	) MO:	LECU:	LE T	YPE:	CDN	Ą									
20		(ix)	()	ATURI A) NI B) L	AME/I			946									
1 - 125		(xi)	SE	QUEN	CE DI	ESCR:	IPTI	ON: S	SEQ :	ID N	0:5:						
	AAC	_					_	_				GCA Ala					48
<b>3</b> 0												AAA Lys					96
135 135												AAA Lys					144
40												AAT Asn					192
4.5												CCC Pro 75					240
45	AAG	AAA	AAA	TCA	GTA	ACA	GTA	CTG	GAT	GTG	GGT	GAT	GCA	ТАТ	ጉጥጥ	ጥሮA	288
												Asp					200
50												GCA Ala					336
55												CAG Gln					384

	CCA	CAG	GGA	TCC	מממ	GGA	ጥርአ	CCA	GCA	<b>ል</b> ሞል	TTC	CAA	ልርጥ	AGC.	ልጥር	አሮአ	430
											Phe						432
5											CCA Pro						480
10											GAC Asp 170					=	528
15											CAT His						576
20											GAA Glu						624
177											ACA Thr						672
25											GAC Asp						720
.71 3-0 											CCA Pro 250						768
33											GCA Ala						816
40											GCA Ala						864
											GAC Asp						912
45					CAG Gln						CTCG	ag					948

50

55

#### (2) INFORMATION FOR SEQ ID NO:6:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 314 amino acids

(B) TYPE: amino acid(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

5	Gln 1	Trp	Pro	Leu	Thr 5	Glu	Glu	Lys	Ile	Lys 10	Ala	Leu	Val	Glu	Ile 15	Cys
	Thr	Glu	Met	Glu 20	Lys	Glu	Gly	Lys	Ile 25	Ser	Lys	Ile	Gly	Pro 30	Glu	Asn
10	Pro	Tyr	Asn 35	Thr	Pro	Val	Phe	Ala 40	Ile	Lys	Lys	Lys	Asp 45	Ser	Thr	Lys
15	Trp	Arg 50	Lys	Leu	Val	Asp	Phe 55	Arg	Glu	Leu	Asn	Lys 60	Arg	Thr	Gln	Asp
10	Phe 65	Trp	Glu	Val	Gln	Leu 70	Gly	Ile	Pro	His	Pro 75	Ala	Gly	Leu	Lys	Lys 80
20	Lys	Lys	Ser	Val	Thr 85	Val	Leu	Asp	Val	Gly 90	Asp	Ala	Tyr	Phe	Ser 95	Val
	Pro	Leu	Asp	Glu 100	Asp	Phe	Arg	Lys	Tyr 105	Thr	Ala	Phe	Thr	Ile 110	Pro	Ser
25	Ile	Asn	Asn 115	Glu	Thr	Pro	Gly	Ile 120	Arg	Tyr	Gln	Tyr	Asn 125	Val	Leu	Pro
30	Gln	Gly 130	Trp	Lys	Gly	Ser	Pro 135	Ala	Ile	Phe	Gln	Ser 140	Ser	Met	Thr	Lys
30	Ile 145	Leu	Glu	Pro	Phe	Arg 150	Lys	Gln	Asn	Pro	Asp 155	Ile	Val	Ile	Tyr	Gln 160
35	Tyr	Met	Asp	Asp	Leu 165	Tyr	Val	Gly	Ser	Asp 170	Leu	Glu	Ile	Gly	Gln 175	His
	Arg	Thr	Lys	Ile 180	Glu	Glu	Leu	Arg	Gln 185	His	Leu	Leu	Arg	Trp 190	Gly	Leu
40	Thr	Thr	Pro 195	Asp	Lys	Lys	His	Gln 200	Lys	Glu	Pro	Pro	Phe 205	Leu	Trp	Met
45	Gly	Tyr 210	Glu	Leu	His	Pro	Asp 215	Lys	Trp	Thr	Val	Gln 220	Pro	Ile	Val	Leu
	Pro 225	Glu	Lys	Asp	Ser	Trp 230	Thr	Val	Asn	Asp	Ile 235	Gln	Lys	Leu	Val	Gly 240
50	Lys	Leu	Asn	Trp	Ala 245	Ser	Gln	Ile	Tyr	Pro 250	Gly	Ile	Lys	Val	Arg 255	Gln
	Leu	Cys	Lys	Leu 260	Leu	Arg	Gly	Thr	Lys 265	Ala	Leu	Thr	Glu	Val 270	Ile	Pro
55	Leu	Thr	Glu 275	Glu	Ala	Glu	Leu	Glu 280	Leu	Ala	Glu	Asn	Arg 285	Glu	Ile	Leu

	5	Ala Glu Ile Gln Lys Gln Gly Gln Gly Leu 305 310	
		(2) INFORMATION FOR SEQ ID NO:7:	
	10	<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 1568 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li></ul>	
	15	(D) TOPOLOGY: linear  (ii) MOLECULE TYPE: cDNA	
	20	(ix) FEATURE: (A) NAME/KEY: CDS (B) LOCATION: 71565	
Total Sun		(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:	
	25	GGGGCC TGT CCA AAG GTA TCC TTT GAG CCA ATT CCC ATA CAT TAT TGT Cys Pro Lys Val Ser Phe Glu Pro Ile Pro Ile His Tyr Cys 1 5 10	48
	30	GCC CCG GCT GGT TTT GCG ATT CTA AAA TGT AAT AAT AAG ACG TTC AAT Ala Pro Ala Gly Phe Ala Ile Leu Lys Cys Asn Asn Lys Thr Phe Asn 20 25 30	96
	35	GGA ACA GGA CCA TGT ACA AAT GTC AGC ACA GTA CAA TGT ACA CAT GGA Gly Thr Gly Pro Cys Thr Asn Val Ser Thr Val Gln Cys Thr His Gly  35 40 45	144
	40	ATT AGG CCA GTA GTA TCA ACT CAA CTG CTG TTA AAT GGC AGT CTA GCA  Ile Arg Pro Val Val Ser Thr Gln Leu Leu Leu Asn Gly Ser Leu Ala  50 55 60	192
	45	GAA GAA GAG GTA GTA ATT AGA TCT GTC AAT TTC ACG GAC AAT GCT AAA Glu Glu Glu Val Val Ile Arg Ser Val Asn Phe Thr Asp Asn Ala Lys 65 70 75	240
		ACC ATA ATA GTA CAG CTG AAC ACA TCT GTA GAA ATT AAT TGT ACA AGA Thr Ile Ile Val Gln Leu Asn Thr Ser Val Glu Ile Asn Cys Thr Arg 80 85 90	288
	50	CCC AAC AAC AAT ACA AGA AAA AGA ATC CGT ATC CAG AGA GGA CCA GGG Pro Asn Asn Asn Thr Arg Lys Arg Ile Arg Ile Gln Arg Gly Pro Gly 95 100 105 110	336
	55	AGA GCA TTT GTT ACA ATA GGA AAA ATA GGA AAT ATG AGA CAA GCA CAT Arg Ala Phe Val Thr Ile Gly Lys Ile Gly Asn Met Arg Gln Ala His 115 120 125	384

Lys Glu Pro Val His Gly Val Tyr Tyr Asp Pro Ser Lys Asp Leu Ile

295

5					Arg											GAT Asp	432
J				Arg					Asn					Ile		AAG Lys	480
10			Ser		GGG Gly								Ser			TGT Cys	528
15		Gly			TTC Phe							Leu				ACT Thr 190	576
20	TGG Trp	TTT Phe	AAT Asn	AGT Ser	ACT Thr 195	TGG Trp	AGT Ser	ACT Thr	GAA Glu	GGG Gly 200	TCA Ser	AAT Asn	AAC Asn	ACT Thr	GAA Glu 205	GGA Gly	624
25					ACC Thr												672
	TGG Trp	CAG Gln	AAA Lys 225	GTA Val	GGA Gly	AAA Lys	GCA Ala	ATG Met 230	TAT Tyr	GCC Ala	CCT Pro	CCC Pro	ATC Ile 235	AGT Ser	GGA Gly	CAA Gln	720
30	ATT Ile	AGA Arg 240	TGT Cys	TCA Ser	TCA Ser	AAT Asn	ATT Ile 245	ACA Thr	GGG Gly	CTG Leu	CTA Leu	TTA Leu 250	ACA Thr	AGA Arg	GAT Asp	GGT Gly	768
35	GGT Gly 255	AAT Asn	AGC Ser	AAC Asn	AAT Asn	GAG Glu 260	TCC Ser	GAG Glu	ATC Ile	TTC Phe	AGA Arg 265	CTT Leu	GGA Gly	GGA Gly	GGA Gly	GAT Asp 270	816
40					TGG Trp 275												864
45	ATT Ile	GAA Glu	CCA Pro	TTA Leu 290	GGA Gly	GTA Val	GCA Ala	CCC Pro	ACC Thr 295	Lys	GCA Ala	AAG Lys	AGA Arg	Arg	GTG Val	GTG Val	912
	CAG Gln	AGA Arg	GAA Glu 305	AAA Lys	AGA Arg	GCA Ala	GTG Val	GGA Gly 310	ATA Ile	GGA Gly	GCT Ala	TTG Leu	TTC Phe 315	CTT Leu	GGG Gly	TTC Phe	960
50	TTG Leu	GGA Gly 320	GCA Ala	GCA Ala	GGA Gly	AGC Ser	ACT Thr 325	ATG Met	GGC Gly	GCA Ala	GCC Ala	TCA Ser 330	ATG Met	ACG Thr	CTG Leu	ACG Thr	1008
55	GTA Val 335	CAG Gln	GCC Ala	AGA Arg	CAA Gln	TTA Leu 340	TTG Leu	TCT Ser	GGT Gly	ATA Ile	GTG Val 345	CAG Gln	CAG Gln	CAG . Gln .	AAC Asn	AAT Asn 350	1056

		TTG	CTG	AGG	GCT	ATT	GAG	GCG	CAA	CAG	CAT	CTG	TTG	CAA	CTC	ACA	GTC	1104
		Leu	Leu	Arg	Ala	Ile	Glu	Ala	Gln	Gln		Leu	Leu	Gln	Leu		Val	
	5					355					360					365		
	,	TGG	GGC	ATC	AAG	CAG	CTC	CAA	GCA	AGA	ATC	CTA	GCT	GTG	GAA	AGA	TAC	1152
						Gln												1132
		_	_		370			_		375					380	_	-	
	• •							-										•
	10					CAG												1200
		Leu	Lys	385	GIII	Gln	Leu	ьеu	390	тте	Trp	GIĀ	Cys	395	GIY	rys	Leu	
				505					550					3,5				
		ATT	TGC	ACC	ACT	GCT	GTG	CCT	TGG	AAT	GCT	AGT	TGG	AGT	AAT	AAA	TCT	1248
	15	Ile	-	Thr	Thr	Ala	Val		Trp	Asn	Ala	Ser	-	Ser	Asn	Lys	Ser	
			400					405					410					
		ርፕር	AAD	CAG	ATC	TGG	ТАА	CAC	ACG	ACC	TGG	ATG	GAG	TGG	GAC	AGA	GAA	1296
						Trp												1270
	20	415				_	420				-	425		-	-	J	430	
******						ACA												1344
		ше	ASII	ASII	ıyı	Thr 435	ser	Leu	TTE	HIS	440	Leu	rre	GIU	GIU	ser 445	GIn	
1.1	25					133					110					113		
uni.		AAC	CAG	CAA	GAA	AAG	AAT	GAA	CAA	GAA	TTA	TTG	GAA	TTA	GAT	AAA	TGG	1392
		Asn	Gln	Gln		Lys	Asn	Glu	Gln		Leu	Leu	Glu	Leu	-	Lys	Trp	
					450					455					460			
: 2002	30	GCA	AGT	TTG	TGG	TAA	TGG	TTT	AAC	ATA	ACA	TAA	TGG	CTG	TGG	ТАТ	АТА	1440
į, d.						Asn												
11				465					470					475				
		* * *	mm z	mm/3	አ ተቦ አ	T TIC	7 m 7	OIII N	aa 2	aaa	mma	CITI N	aam	CDCCC TO	7 (7	3 m 3	Omm.	7.400
1200	35					ATG Met												1488
5 2523		272	480					485	027	01)	204	• • • •	490		5		•41	
12																		
-						TCT												1536
1.20	40	Pne 495	Ala	val	Leu	Ser	11e	Val	Asn	Arg	Val	Arg 505	GIn	GLY	Tyr	Ser	•	
	70	423					300					303					510	
		TTA	TCG	TTT	CAG	ACC	CAC	CTC	CCA	ATC	ŢCGA	4G						1568
		Leu	Ser	Phe	Gln	Thr	His	Leu	Pro	Ile								
	45					515												
	マン																	

(2) INFORMATION FOR SEQ ID NO:8:

50

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 519 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

5	Су	s Pr 1	о цу	s Va.	L Ser	r Phe	e Glu	ı Pro	o Ile	e Pro		e Hi	в Ту	r Cy		a Pro .5
	Al	a Gl	y Ph	e Ala 20	ı Ile	e Lev	Lys	Cys	5 Ası 29		n Ly	s Th	r Ph	e As		y Thr
10	Gl;	y Pr	O Cy:	s Thr 5	Asn	ı Val	. Ser	Thr 40		l Glr	n Cys	s Th	r Hi		y Il	e Arg
15	Pro	5 Va	l Val	l Ser	Thr	Gln	. Leu 55	. Leu	ı Let	ı Asr	ı Gly	y Ser		ı Ala	a Gl	u Glu
	Glu 65	ı Val	l Val	llle	Arg	Ser 70	Val	Asn	Phe	e Thr	Asp 75		n Ala	a Ly:	s Th	r Ile 80
20	Ile	e Val	Glr	Leu	Asn 85	Thr	Ser	Val	Glu	11e		Cys	Thi	Arg	g Pro	o Asn 5
	Asn	ı Asr	Thr	Arg 100	Lys	Arg	Ile	Arg	Ile 105		Arg	gly	Pro	Gl <sub>y</sub>		g Ala
25	Phe	Val	Thr 115	· Ile	Gly	Lys	Ile	Gly 120	Asn	Met	Arg	Gln	Ala 125		Cys	s Asn
30	Ile	Ser 130	Arg	Ala	Lys	Trp	Asn 135	Asn	Thr	Leu	Lys	Gln 140	Ile	Asp	Ser	Lys
	Leu 145	Arg	Glu	Gln	Phe	Gly 150	Asn	Asn	Lys	Thr	Ile 155	Ile	Phe	Lys	Gln	Ser 160
35	Ser	Gly	Gly	Asp	Pro 165	Glu	Ile	Val	Thr	His 170	Ser	Phe	Asn	Cys	Gly 175	Gly
	Glu	Phe	Phe	Tyr 180	Cys	Asn	Ser	Thr	Gln 185	Leu	Phe	Asn	Ser	Thr 190	Trp	Phe
40	Asn	Ser	Thr 195	Trp	Ser	Thr	Glu	Gly 200	Ser	Asn	Asn	Thr	Glu 205	Gly	Ser	Asp
45	Thr	Ile 210	Thr	Leu	Pro	Cys	Arg 215	Ile	Lys	Gln	Ile	Ile 220	Asn	Met	Trp	Gln
	Lys 225	Val	Gly	Lys	Ala	Met 230	Tyr	Ala	Pro	Pro	Ile 235	Ser	Gly	Gln	Ile	Arg 240
50	Cys	Ser	Ser	Asn	Ile 245	Thr	Gly	Leu	Leu	Leu 250	Thr	Arg	Asp	Gly	Gly 255	Asn
	Ser	Asn	Asn	Glu 260	Ser (	Glu :	Ile :	Phe .	Arg 265	Leu	Gly	Gly	Gly	Asp 270	Met	Arg
55	Asp	Asn	Trp 275	Arg	Ser (	Glu 1	Leu 1	Tyr : 280	Lys	Tyr	Lys		Val 285	Lys	Ile	Glu

1
in the
1,51
E S
,,,,,
ı Ž
ξĒ
- 1971 
-4
120
Ü
: :

	Pro	Leu 290	Gly	Val	Ala	Pro	Thr 295	Lys	Ala	Lys	Arg	Arg 300	Val	Val	Gln	Arg
5	Glu 305	Lys	Arg	Ala	Val	Gly 310	Ile	Gly	Ala	Leu	Phe 315	Leu	Gly	Phe	Leu	Gly 320
10	Ala	Ala	Gly	Ser	Thr 325	Met <sub>.</sub>	.Gly	Ala	Ala	Ser 330	Met	Thr	Leu	Thr	Val 335	Gln
	Ala	Arg	Gln	Leu 340	Leu	Ser	Gly	Ile	Val 345	Gln	Gln	Gln	Asn	Asn 350	Leu	Leu
15	Arg	Ala	Ile 355	Glu	Ala	Gln	Gln	His 360	Leu	'Leu	Gln	Leu	Thr 365	Val	Trp	Gly
	Ile	Lys 370	Gln	Leu	Gln	Ala	Arg 375	Ile	Leu	Ala	Val	Glu 380	Arg	Tyr	Leu	Lys
20	Asp 385	Gln	Gln	Leu	Leu	Gly 390	Ile	Trp	Gly	Cys	Ser 395	Gly	Lys	Leu	Ile	Cys 400
25	Thr	Thr	Ala	Val	Pro 405	Trp	Asn	Ala	Ser	Trp 410	Ser	Asn	Lys	Ser	Leu 415	Glu
	Gln	Ile	Trp	Asn 420	His	Thr	Thr	Trp	Met 425	Glu	Trp	Asp	Arg	Glu 430	Ile	Asn
30	Asn	Tyr	Thr 435	Ser	Leu	Ile	His	Ser 440	Leu	Ile	Glu	Glu	Ser 445	Gln	Asn	Gln
	Gln	Glu 450	Lys	Asn	Glu	Gln	Glu 455	Leu	Leu	Glu	Leu	Asp 460	Lys	Trp	Ala	Ser
35	Leu 465	Trp	Asņ	Trp	Phe	Asn 470	Ile	Thr	Asn	Trp	Leu 475	Trp	Tyr	Ile	Lys	Leu 480
40	Phe	Ile	Met	Ile	Val 485	Gly	Gly	Leu	Val	Gly 490	Leu	Arg	Ile	Val	Phe 495	Ala
	Val	Leu	Ser	Ile 500	Val	Asn	Arg	Val	Arg 505	Gln	Gly	Tyr	Ser	Pro 510	Leu	Ser
45	(2)		515		Leu			10:9:								
50	<b>.</b> - <i>r</i>		SEÇ ( <i>I</i>	OUENC	CE CH ENGTH (PE:	IARAC I: 27	TERI bas	STIC	S:							
			(I	) TC	TRANI OPOLO	GY:	líne	ar	,le							
55		(ii)	MOI	LECUI	LE TY	PE:	CDNA	Ŧ								

	CACCCCTCTC CTACGTAACC AAGGATC	27
5	(2) INFORMATION FOR SEQ ID NO:10:	21
10	(i) SEQUENCE CHARACTERISTICS:  (A) LFYGTH: 24 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	
15		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:	
20	GTACTGGTCA CCATATTGGT CAAC	24
	(2) INFORMATION FOR SEQ ID NO:11:	
25	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 25 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
30	(ii) MOLECULE TYPE: cDNA	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:	
35	GGAGAGAGAT GGGAGCTCGA GCGTC	25
	(2) INFORMATION FOR SEQ ID NO:12:	23
40	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 20 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
45	(ii) MOLECULE TYPE: cDNA	
50	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:	
	GCCCCCTAT ACGTATTGTG	20
	(2) INFORMATION FOR SEQ ID NO:13:	
55	<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 41 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li></ul>	

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

		(ii) MOLECULE TYPE: cDNA	
	5		
		(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:	
	10	CCAGTGAATT CCTAATACGA CTCACTATAG GTTAAAACAG C	41
		(2) INFORMATION FOR SEQ ID NO:14:	
	15	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 48 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	20	(ii) MOLECULE TYPE: cDNA	
The limit with best from their time of	25	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:	
100	25	CTCTATCCTG AGCTCCATAT GTGTCGAGCA GTTTTTGGTT TAGCATTG	48
		(2) INFORMATION FOR SEQ ID NO:15:	
:	30	<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 8 amino acids</li><li>(B) TYPE: amino acid</li><li>(D) TOPOLOGY: linear</li></ul>	
2 10 E	35	(ii) MOLECULE TYPE: peptide	
		(v) FRAGMENT TYPE: internal	
	40	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:	
		Thr Lys Asp Leu Thr Thr Tyr Gly 1 5	
	45	(2) INFORMATION FOR SEQ ID NO:16:	
	50	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 2220 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
		(ii) MOLECULE TYPE: cDNA	
	55		

(D) TOPOLOGY: linear

(ix) FEATURE:

(A) NAME/KEY: CDS
(B) LOCATION: 1..2203

### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:

	5				_		_	_	_	GCC Ala 10						48
	10									ACA Thr						96
	15									AGA Arg						144
	20									ACC Thr						192
		_			_	_				CCG Pro	_		_	_		240
The state and state	25									CTG Leu 90						288
Hay box 18	30									GAT Asp						336
	35									ACC Thr						384
	40		_	_	_					TCC Ser						432
										CTA Leu						480
	45			_		_		Gly	Gln	TTC Phe 170	Arg	Val				528
	50									TCC Ser						576
	55									GAG Glu						624
										CCG Pro						672

210 215 220

5	CTO Let 225	ı Se	C AA' r Asi	r GG(	C AAC / Asn	AGG Arg 230	Thi	CTC	C AC	r CT	A TTG u Pho 23:	e As	T GT n Va	C AC 1 Th	A AG	A AAT g Asn 240	ı	720
10	GA( As <sub>I</sub>	C AC.	A GC r Ala	A AGO	TAC Tyr 245	Lys	TGT Cys	GAA Glu	ACC Thi	C CA( C Glr 25(	n Ası	C CC.	A GT o Va	G AG l Se	T GC r Al 25	C AGG a Arg 5		768
	CG( Arg	AG' Se:	r GAT	TCA Ser 260	· Val	Ile	CTG Leu	AAT Asn	' GTC Val 265	. Let	TA:	r GGG	C CC	G GA D As	p Al	C CCC a Pro		816
15	ACC Thr	AT:	T TCC Ser 275	Pro	CTA Leu	AAC Asn	ACA Thr	TCT Ser 280	Tyr	AGA Arg	A TCA g Ser	GG(	G GA / Gl: 28!	ı Ası	r CT n Le	G AAC u Asn		864
20	CTC Leu	Ser 290	. Cys	CAT His	GCA Ala	GCC Ala	TCT Ser 295	AAC Asn	CCA Pro	CCT	GCA Ala	CAC Glr 300	туз	C TC:	T TG	G TTT p Phe		912
25	GTC Val 305	AAT Asn	GGG Gly	ACT Thr	TTC Phe	CAG Gln 310	CAA Gln	TCC Ser	ACC Thr	CAA Gln	GAG Glu 315	Leu	TTT Phe	T ATO	CCC Pro	C AAC Asn 320		960
30	ATC Ile	ACT Thr	GTG Val	AAT Asn	AAT Asn 325	AGT Ser	GGA Gly	TCC Ser	TAT Tyr	ACG Thr 330	TGC Cys	CAA Gln	GCC Ala	CAT His	AA( Asr 335	C TCA Ser		1008
	GAC Asp	ACT Thr	GGC Gly	CTC Leu 340	AAT Asn	AGG Arg	ACC Thr	ACA Thr	GTC Val 345	ACG Thr	ACG Thr	ATC Ile	ACA Thr	GTC Val 350	Туг	GCA Ala		1056
35	GAG Glu	CCA Pro	CCC Pro 355	AAA Lys	CCC Pro	TTC Phe	ATC Ile	ACC Thr 360	AGC Ser	AAC Asn	AAC Asn	TCC Ser	AAC Asn 365	CCC Pro	GTG Val	GAG Glu		1104
40	Asp	GAG Glu 370	GAT Asp	GCT Ala	GTA Val	GCC Ala	TTA Leu 375	ACC Thr	TGT Cys	GAA Glu	CCT Pro	GAG Glu 380	ATT Ile	CAG Gln	AAC Asn	ACA Thr		1152
45	ACC Thr 385	Tyr	CTG Leu	TGG Trp	TGG Trp	GTA Val 390	AAT Asn	AAT Asn	CAG Gln	AGC Ser	CTC Leu 395	CCG Pro	GTC Val	AGT Ser	CCC Pro	AGG Arg 400		1200
50	CTG Leu	CAG Gln	CTG Leu	TCC Ser	AAT Asn 405	GAC Asp	AAC Asn	AGG Arg	ACC Thr	CTC Leu 410	ACT Thr	CTA Leu	CTC Leu	AGT Ser	GTC Val 415	ACA Thr	:	1248
_ •	AGG Arg	AAT Asn	GAT Asp	GTA Val 420	GGA (	CCC Pro	TAT Tyr	Glu	TGT Cys 425	GGA Gly	ATC Ile	CAG Gln	AAC Asn	GAA Glu 430	TTA Leu	AGT Ser	1	1296
55	GTT Val	GAC Asp	CAC His 435	AGC Ser	GAC ( Asp 1	CCA ( Pro '	Val	ATC   Ile   440	CTG . Leu .	AAT Asn	GTC Val	CTC Leu	TAT Tyr 445	GGC Gly	CCA Pro	GAC Asp	1	L344

665

1,22
i jage
I,F
i d
; ;
122
4
1
z zály

	TTT	TATO	GCC Ala 675	Lys	ATC Ile	ACG Thr	CCA Pro	AAT Asn 680	Asn	AAC Asr	GGG Gly	ACC Thr	TAT Tyr 685	GCC	TG1 Cys	TTT Phe	206
5	GT( Val	Ser 690	r Asr	TTG Leu	GCT Ala	ACT Thr	GGC Gly 695	CGC Arg	AAT Asn	' AAT Asn	TCC Ser	700	val	AAG Lys	AGC Ser	ATC : Ile	211:
10	ACA Thr 705	· Val	C TCI l Ser	GCA Ala	TCT Ser	GGA Gly 710	ACT	TCT Ser	CCT Pro	GGT Gly	CTC Leu 715	Ser	GCT Ala	GGG Gly	GCC Ala	ACT Thr 720	2160
15			C ATC								Val						2202
	TAG	CAGC	CCT	GGT	GTAG'	Г											2220
20	(2)	INF	ORMA	TION	FOR	SEQ	ID 1	NO:1	7:								
25				(B)	) LEI ) TYI ) TOI	NGTH: PE: & POLOC	: 734 amino SY: 3	am: ac: Line	ino . id ar		s						
			ii)														
30	Ara		xi) : Ala										<b>.</b>		_		
	1	110	ALG	лэр	5	1111	vai	1111	Ald	10	Leu	Thr	ьуs	Arg	Ser 15	Trp	
35	Asn	Ser	Ser	Thr 20	Ser	Pro	Gln	Arg	Arg 25	Thr	Glu	Gln	Thr	Ala 30	Glu	Thr	
	Met	Glu	Ser 35	Pro	Ser	Ala	Pro	Pro 40	His	Arg	Trp	Cys	Ile 45	Pro	Trp	Gln	
40	Arg	Leu 50	Leu	Leu	Thr	Ala	Ser 55	Leu	Leu	Thr	Phe	Trp 60	Asn	Pro	Pro	Thr	
45	Thr 65	Ala	Lys	Leu	Thr	Ile 70	Glu	Ser	Thr	Pro	Phe 75	Asn	Val	Ala	Glu	Gly 80	
	Lys	Glu	Val	Leu	Leu 85	Leu	Val	His	Asn	Leu 90	Pro	Gln	His	Leu	Phe 95	Gly	
50	Tyr	Ser	Trp	Tyr 100	Lys	Gly	Glu .		Val 105	Asp	Gly	Asn		Gln 110	Ile	Ile	
	Gly	Tyr	<b>Val</b> 115	Ile	Gly	Thr (		Gln . 120	Ala	Thr	Pro		Pro 1 125	Ala '	Tyr	Ser	
55	Gly	Arg 130	Glu	Ile	Ile	Tyr :	Pro . 135	Asn .	Ala	Ser	Leu	Leu 140	Ile	Gln 2	Asn	Ile	

	11e 145	Gln	Asn	Asp	Thr	Gly 150	Phe	Tyr	Thr	Leu	His 155	Val	Ile	Lys	Ser	Asr 160
5	Leu	Val	Asn	Glu	Glu 165	Ala	Thr	Gly	Gln	Phe 170	Arg	Val	Tyr	Pro	Glu 175	Leu
	Pro	Lys	Pro	Ser 180	Ile	Ser	Ser	Asn	Asn 185	Ser	Lys	Pro	Val	Glu 190	Asp	Lys
10	Asp	Ala	Val 195	Ala	Phe	Thr	Cys	Glu 200	Pro	Glu	Thr	Gln	Asp 205	Ala	Thr	Tyr
15	Leu	Trp 210	Trp	Val	Asn	Asn	Gln 215	Ser	Leu	Pro	Val	Ser 220	Pro	Arg	Leu	Gln
	Leu 225	Ser	Asn	Gly	Asn	Arg 230	Thr	Leu	Thr	Leu	Phe 235	Asn	Val	Thr	Arg	Asn 240
20	Asp	Thr	Ala	Ser	Tyr 245	Lys	Cys	Glu	Thr	Gln 250	Asn	Pro	Val	Ser	Ala 255	Arg
	Arg	Ser	Asp	Ser 260	Val	Ile	Leu	Asn	Val 265	Leu	Tyr	Gly	Pro	Asp 270	Ala	Pro
25	Thr	Ile	Ser 275	Pro	Leu	Asn	Thr	Ser 280	Tyr	Arg	Ser	Gly	Glu 285	Asn	Leu	Asn
30	Leu	Ser 290	Cys	His	Ala	Ala	Ser 295	Asn	Pro	Pro	Ala	Gln 300	Tyr	Ser	Trp	Phe
	Val 305	Asn	Gly	Thr	Phe	Gln 310	Gln	Ser	Thr	Gln	Glu 315	Leu	Phe	Ile	Pro	Asn 320
35	Ile	Thr	Val	Asn	Asn 325	Ser	Gly	Ser	Tyr	Thr 330	Cys	Gln	Ala	His	Asn 335	Ser
	Asp	Thr	Gly	Leu 340	Asn	Arg	Thr	Thr	Val 345	Thr	Thr	Ile	Thr	Val 350	Tyr	Ala
40	Glu	Pro	Pro 355	Lys	Pro	Phe	Ile	Thr 360	Ser	Asn	Asn	Ser	Asn 365	Pro	Val	Glu
45	Asp	Glu 370	Asp	Ala	Val	Ala	Leu 375	Thr	Cys	Glu	Pro	Glu 380	Ile	Gln	Asn	Thr
	Thr 385	Tyr	Leu	Trp	Trp	Val 390	Asn	Asn	Gln	Ser	Leu 395	Pro	Val	Ser	Pro	Arg 400
50	Leu	Gln	Leu	Ser	Asn 405	Asp	Asn	Arg	Thr	Leu 410	Thr	Leu	Leu	Ser	Val 415	Thr
				420		Pro			425					430		
55	Val	Asp	His 435	Ser	Asp	Pro	Val	Ile 440	Leu	Asn	Val	Leu	Tyr 445	Gly	Pro	Asp

	Asp	Pro 450	Thr	Ile	Ser	Pro	Ser 455	Tyr	Thr	Tyr	Tyr	Arg 460	Pro	Gly	Val	Asn
5	Leu 465	Ser.	Leu	Ser	Cys	His 470	Ala	Ala	Ser	Asn	Pro 475	Pro	Ala	Gln	Tyr	Ser 480
	Trp	Leu	Ile	Asp	Gly 485	Asn	Ile	Gln	Gln	His 490	Thr	Gln	Glu	Leu	Phe 495	Ile
10	Ser	Asn	Ile	Thr 500	Glu	Lys	Asn	Ser	Gly 505	Leu	Tyr	Thr	Cys	Gln 510	Ala	Asn
15	Asn	Ser	Ala 515	Ser	Gly	His	Ser	Arg 520	Thr	Thr	Val	Lys	Thr 525	Ile	Thr	Val
	Ser	Ala 530	Glu	Leu	Pro	Lys	Pro 535	Ser	Ile	Ser	Ser	Asn 540	Asn	Ser	Lys	Pro
20	Val 545	Glu	Asp	Lys	Asp	Ala 550	Val	Ala	Phe	Thr	Суs 555	Glu	Pro	Glu	Ala	Gln 560
	Asn	Thr	Thr	Tyr	Leu 565	Trp	Trp	Val	Asn	Gly 570	Gln	Ser	Leu	Pro	Val 575	Ser
25	Pro	Arg	Leu	Gln 580	Leu	Ser	Asn	Gly	Asn 585	Arg	Thr	Leu	Thr	Leu 590	Phe	Asn
30	Val	Thr	Arg 595	Asn	Asp	Ala	Arg	Ala 600	Tyr	Val	Cys	Gly	Ile 605	Gln	Asn	Ser
	Val	Ser 610	Ala	Asn	Arg	Ser	Asp 615	Pro	Val	Thr	Leu	Asp 620	Val	Leu	Tyr	Gly
35	Pro 625	Asp	Thr	Pro	Ile	Ile 630	Ser	Pro	Pro	Asp	Ser 635	Ser	Tyr	Leu	Ser	Gly 640
	Ala	Asn	Leu	Asn	Leu 645	Ser	Cys	His	Ser	Ala 650	Ser	Asn	Pro	Ser	Pro 655	Gln
40	-	Ser		660					665					670		
45	Phe	Ile	Ala 675	Lys	Ile	Thr	Pro	Asn 680	Asn	Asn	Gly	Thr	Tyr 685	Ala	Cys	Phe
	Val	Ser 690	Asn	Leu	Ala	Thr	Gly 695	Arg	Asn	Asn	Ser	Ile 700	Val	Lys	Ser	Ile
50	Thr 705	Val	Ser	Ala	Ser	Gly 710	Thr	Ser	Pro	Gly	Leu 715	Ser	Ala	Gly	Ala	Thr 720
	Val	Gly			725	-				Gly 730	Val	Ala	Leu	Ile		
55	(2)	INFC	RMAI	NOI	FOR	SEQ	ID 1	10:18	3:							

(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 41 base pairs

1	;	د: حد	4000
;			inet:
;		-	1111111
	=	ATAN S	1
****	:	E .	
		Ko.	
	ž	ř	serries.
	=	ı.	:
į	ş		
:	•	#15 #25	ices;
	;	.:	
:	:	100 200 200	imi
:		500	
	;	z=	:
:	:	7	÷
		**	

	(C) STRANDEDNESS: single (D) TOPOLOGY: linear	
5	(ii) MOLECULE TYPE: cDNA	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:18:	
10	CCAGTGAATT CCTAATACGA CTACCTATAG GTTAAAAACAG C	4
	(2) INFORMATION FOR SEQ ID NO:19:	
15	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 24 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
20	(ii) MOLECULE TYPE: cDNA	
25	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:	
23	GATGAACCCT CGAGACCCAT TATG	24
	(2) INFORMATION FOR SEQ ID NO:20:	
30	<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 25 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li></ul>	
35	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	
40	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:20:	
	CCACCAAGTA CGTAACCACA TATGG	25
45	(2) INFORMATION FOR SEQ ID NO:21:	
	<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 14 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li></ul>	
50	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: CDNA	
55		
-	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:21:	
	GTGAGGACTG CTGG	14

(B) TYPE: nucleic acid

	(2) INFORMATION FOR SEQ ID NO:22:	
5	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 29 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
10	(ii) MOLECULE TYPE: cDNA	,
15	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:22: CACCACTGCC CTCGAGAAGC TCACTATTG	29
	(2) INFORMATION FOR SEQ ID NO:23:	
20	<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 29 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
25	(ii) MOLECULE TYPE: CDNA	
30	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:23:	
	CACCACTGCC CTCGAGAAGC TCACTATTG	29